

PORTABLE GENERATOR RS 3541 A



Model		RS 3541 A
Reference number		717066
Generator type		asynchronous
Electrical power (1~) $\cos \phi = 1,0$	kVA	2,8
Voltage (1~)	V	230
Max. Total current (1~)	A	15,2
Frequency	Hz	50
Safety class		IP54
Engine type		B & S 163 OHV
Cylinder		1
Rotational-speed range	rpm	3000
Fuel		gasoline 92/95
Oil		SAE 15W-40
Amount of engine oil	l	0,6
Engine output	kW	4,1
Cooling		air
Tank capacity	l	3,2
Hand starter (H)/Elektro starter (E)		H
Fuel consumption load 100%	l/h	1,79
Weight	kg	42
Dimensions	mm	605 x 410 x 450
Noise pressure level	dB(A)	68

PORTABLE GENERATOR RS 3541 PA



Model		RS 3541 PA
Reference number		717057
Generator type		asynchronous
Electrical power (1~) $\cos \phi = 1,0$	kVA	3,5
Voltage (1~)	V	230
Max. Total current (1~)	A	15,2
Frequency	Hz	50
Safety class		IP54
Engine type		B & S 306 OHV
Cylinder		1
Rotational-speed range	rpm	3000
Fuel		gasoline 92/95
Oil		SAE 15W-40
Amount of engine oil	l	1,1
Engine output	kW	7,1
Cooling		air
Tank capacity	l	16
Hand starter (H)/Elektro starter (E)		H
Fuel consumption load 100%	l/h	2,93
Weight	kg	72
Dimensions	mm	775 x 570 x 580
Noise pressure level	dB(A)	72

PORTABLE GENERATOR RS 3541 PAE



Model		RS 3541 PAE
Reference number		717058
Generator type		asynchronous
Electrical power (1~) $\cos \phi = 1,0$	kVA	3,5
Voltage (1~)	V	230
Max. Total current (1~)	A	15,2
Frequency	Hz	50
Safety class		IP54
Engine type		B & S 306 OHV
Cylinder		1
Rotational-speed range	rpm	3000
Fuel		gasoline 92/95
Oil		SAE 15W-40
Amount of engine oil	l	1,1
Engine output	kW	7,1
Cooling		air
Tank capacity	l	16
Hand starter (H)/Elektro starter (E)		H / E
Fuel consumption load 100%	l/h	2,93
Weight	kg	79
Dimensions	mm	775 x 570 x 580
Noise pressure level	dB(A)	72